

#### Prepared for:

**Best Trading Co., LTD** 

311, Building B, Baiwangda Intelligent Park, Bantian Street, Longgang District, Shenzhen, Guangzhou

**Product Name: Painting Aprons** 

Model No.: WE-Painting Aprons, Painting Aprons

Trade Mark: N/A

Date of Test: From May 06, 2024 to May 14, 2024

Date of Report: May 14, 2024

Report Number: HK2404306805-1RR-R01

#### Prepared by:

Shenzhen HUAK Testing Technology Co., LTD.

1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 2 of 27

Applicant: Best Trading Co., LTD

Address: 311, Building B, Baiwangda Intelligent Park, Bantian Street,

Longgang District, Shenzhen, Guangzhou

Manufacturer: Best Trading Co., LTD

Address: 311, Building B, Baiwangda Intelligent Park, Bantian Street,

Longgang District, Shenzhen, Guangzhou

The following sample was submitted and identified by/on behalf of the client as:

Product Name: Painting Aprons

Model No.: WE-Painting Aprons, Painting Aprons

Trade Mark: N/A

Tested Age Grade: 14+ years old

Labeled Age Grading: 14+ years old

Appropriate Age Grade: 14+ years old

Sample Receiving Date: May 06, 2024

Testing Period: From May 06, 2024 to May 14, 2024

Results: Please refer to next page(s).

Signed for and on behalf of HUAK

Approved by:

Lab Manager



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 3 of 27

### Information of the Test Laboratory

Shenzhen HUAK Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Testing Laboratory Authorization:

A2LA Accreditation Code is 4781.01.

FCC Designation Number is CN1229.

Canada IC CAB identifier is CN0045.

CNAS Registration Number is L9589.

CPSC Certification Number is 1710.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 4 of 27

### **Summary of Test Results:**

TEST	REQUEST	CONCLUSION
A	As specified in title 16, code of federal regulations, chapter II- consumer products safety commission of U.S.A	
	1. 16CFR 1500.50.51.52.53 Simulating use and abuse of toys	PASS
	2. 16CFR 1501 Small Objects	PASS
	3. 16CFR 1500.48 Sharp point	NA
	4. 16CFR 1500.49 Sharp edge	NA
	5. 16CFR 1610 Standard for the Flammability of clothing textiles	PASS
	6. 16CFR 1611 Standard for the Flammability of Vinyl Plastic Film	PASS
Bernig	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	
	1Mechanical and Physical Tests	PASS
	2Section 4.2 Flammability Tests	PASS
	3Section 4.3.5.1 Heavy Metals Content in Paint and Similar Surface-coating Materials	NA
	4Section 4.3.5.2 Heavy Metals Content in Toy Substrate Materials	PASS
C	- USA 16CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead- Containing Paint	NA HUM TESTING
P. TING	<ul> <li>- USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children's products containing Lead; Lead paint rule</li> <li>- CPSIA section 101(a)(2)-Lead in accessible substrate materials and 15 U.S.C.</li> <li>§ 1278a Lead in Children's products</li> </ul>	PASS
E WAY	<ul> <li>USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates</li> <li>USA 16CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates</li> </ul>	PASS
P	- CPSA Section 14(a) (5) Tracking Labels for Children's Products (15 USC §2063(a)(5) (CPSA))	PASS



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 5 of 27

Results:

A. As specified in title 16, code of federal regulations, chapter II- consumer products Safety commission of U.S.A

Applicable Section	Description	Result
	Normal use testing	Pass
	Abuse testing	TESTING
	Impact test	Pass
16CFR	Bite test	Pass
1500.50.51.52.53	Flexure test	Pass
	Torque test (53e)	Pass
	Tension test (53f)	Pass
	Compression test(53g)	Pass
16CFR 1501	Identifying toys and other articles intended for use by Children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts.	Present
16CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	NA JAYTESTING
16CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	NA NA

--NA= Not Applicable

HUAKTES HUAKTES HUAKTES HUAKTES HUAKTES HUAKTES HUAKTES



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 6 of 27

#### A.5 16CFR 1610 Flammability of clothing textiles:

Flammability test of material

Class	Plain surface textile fabric	Raised surface textile fabric
1	Burn time is 3.5 seconds or more ACCEPTABLE (3.5 sec is a pass)	(1) Burn time is greater than 7.0 seconds; or (2) Burn time is 0-7 seconds with no base burns (SFBB). Exhibits rapid surface flash only. ACCEPTABLE.
2	Class 2 is not applicable to plain surface textile fabrics	Burn time is 4-7 seconds (inclusive) with base burn (SFBB). ACCEPTABLE.
3	Burn time is less than 3.5 seconds. NOT ACCEPTABLE	Burn time is less than 4.0 seconds with base burn (SFBB). NOT ACCEPTABLE.

Requirements for classifying textiles: Class 1, Normal Flammability: Plain surface textile fabric

Sample(50*150mm)	Burn time	Result
Painting Aprons	Burn time is 3.5 seconds or more ACCEPTABLE	Pass Pass

#### Remark:

- 1. Sample weight 4.3 oz/yd2 was exempted from flammability test in accordance with 16 CFR1610.1(d)(1)due to the fabric weight ≥2.6oz/yd2.(88.2g/m2).
- 2. Was exempted from flammability test in accordance with 16 CFR1610.1(d)(2)due to it is made entirely from or combinations of acrylic/modacrylic/nylon/olefin/polyester/wool fibres.
- 3. Gloves less than 14 inches, hats that do not provide a covering for the neck, face or shoulders when worn by an individual, footwear that do not attach to other garment were exempted by the regulation.

#### A.6 16CFR 1611 Standard for the Flammability of Vinyl Plastic Film:

Flammability test of material

HUAN	Sample	(M) HU	Burn rate (in/sec.)	(I) HUAN	Result
(TESTING	Packaging	"IAK TES	<3cm/s	AKTESTING	Pass

Note: In accordance with the 16 CFR 1611, the burning rate should not be greater than 3cm/s.

DNI =Did Not Ignited SE= Self-Extinguished IBE= Ignite But Extinguished

AFICATION.



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 7 of 27

## B.1 ASTM F963-23 Standard Consumer Safety Specification for Toy Safety -Mechanical and Physical Tests

Applicable Section	Description	Result
4	Safety Requirements	HUAKTES
4.1	Material Quality	Pass
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, Powders, and Items of Avian Feather Origin	NA
4.3.7	Stuffing Materials	NA
4.4	Electrical/Thermal Energy—Toys operating from nominal 120-V branch circuits shall conform to 16 CFR 1505, issued under the FHSA.	NA
4.5	Sound-producing Toys	NA
4.6	Small Objects	Pass
4.7	Accessible Edges	Pass
4.8	Projections	NA
4.9	Accessible Points	NA NA
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	Pass
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	Pass
4.15	Stability and Over-load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices (such as helmets, hats, and goggles)	NA
4.19.1	Eye Protection—All rigid toys that cover the face, such as goggles, space helmets, or face shields, shall be constructed of impact-resistant material that will not have sharp edges, sharp points, or loose parts that could enter the eye before or after being tested in accordance with 8.5 – 8.10. This applies to items with cutout eye holes as well as items that cover the eyes.	NA NA
4.19.2	Toys that simulate safety protective devices (examples include, but are not limited to, construction helmets and sports helmets) and their packages shall be labeled clearly in accordance with 5.9 to warn the purchaser that they are not safety protective devices.	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



Applicable	Description	Result
Section	100 100 100	. 1800
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA NA
4.27	Stuffed and Beanbag-type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
KTES 5	Labeling Requirements	OKTEST
5.1	Federal Government Requirements	Pass
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	Pass
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles (10)	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	Pass
5.12	Art Materials—Toys and components of toys that fall within the definition of art material as found in 16 CFR 1500.14(b)(8) shall be labeled in accordance with the provisions of that section and Practice D4236.	NA

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 9 of 27

Applicable	Date: May 14, 2024	Result
Section	-	. 453%
5.13	Electric Toys—Refer to 16 CFR 1505.3 for required labeling.	NA
5.14	Battery-operated Toys	NA
5.15	Promotional Materials	NA
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	Pass
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery-Operated Toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toys Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies) shall direct caregivers to retain the tool for future use, to store it where the child cannot access it, and state that the tool is not a toy.	NA
75 m	Producer's Markings	HUAKTES
7.1	Either a principal component of a toy or the package of a toy shall be marked with the name and address of the producer or the distributor.	Pass
7.2	Battery-powered Ride-on Toys	NA
7.3	Toy chests	NA

--NA= Not Applicable



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 10 of 27

Use and abuse testing:

Applicable Section	Description	Age Group	Test condition, lb (kg)	Result
8.5	Normal use testing	AKTESTING	G - LAKTESTING	Pass
8.6	Abuse testing	HUAN TES	0	Pass
		0 to 18	less than 3 ± 0.01 (1.4)	NA
8.7	Impact test	over 18 to 36	less than 4 ± 0.01 (1.8)	NA
	JUAN TESTING	over 36 to 96	less than 10 ± 0.01 (4.5)	Pass
<b>3</b>		0 to 18	2.2 in.·lbf (0.25 N·m)	NA
8.8	Torque test	over 18 to 36	3.2 in.·lbf (0.36 N·m)	NA
	ESTING	over 36 to 96	4.2 in.·lbf (0.47 N·m)	Pass
WAK	HUAK	0 to 18	10.5 lbf (46.7 N)	NA
8.9	Tension test	over 18 to 36	10.5 lbf (46.7 N)	NA
	TING	over 36 to 96	10.5 lbf (46.7 N)	Pass
	UAKTES	0 to 18	20.5 lbf (91.2 N)	NA
8.10	Compression test	over 18 to 36	25.5 lbf (113.5 N)	NA
	THIS HUAKTEL	over 36 to 96	30.5 lbf (135.7 N)	Pass
8.11	Tests for Tire Removal	and Snap-in Wheel and	Axle Assembly Removal	NA
8.12	Flexure Test	0, 0,		
8.15	Test for Stability of Rid	ility of Ride-on Toys or Toy Seats		



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 11 of 27

# B.2 Section 4.2 Flammability Tests (A5) FLAMMABILITY TESTING PROCEDURE FOR FABRICS

16CFR 1610 Flammability of clothing textiles:

Flammability test of material

Class	Plain surface textile fabric	Raised surface textile fabric
1	Burn time is 3.5 seconds or more ACCEPTABLE (3.5 sec is a pass)	(1) Burn time is greater than 7.0 seconds; or (2) Burn time is 0-7 seconds with no base burns (SFBB). Exhibits rapid surface flash only. ACCEPTABLE.
2	Class 2 is not applicable to plain surface textile fabrics	Burn time is 4-7 seconds (inclusive) with base burn (SFBB). ACCEPTABLE.
3	Burn time is less than 3.5 seconds. NOT ACCEPTABLE	Burn time is less than 4.0 seconds with base burn (SFBB). NOT ACCEPTABLE.

Requirements for classifying textiles: Class 1, Normal Flammability: Plain surface textile fabric

8	Sample(2*6 in)		Burn time (s)	Re	esult
KTESTING	Painting Aprons	HUAKTE	Burn time is 3.5 seconds or more ACCEPTABLE	HUAK TESTING	ass

#### Remark:

- 1. Sample weight 4.3 oz/yd2 was exempted from flammability test in accordance with 16 CFR1610.1(d)(1)due to the fabric weight ≥2.6oz/yd2.(88.2g/m2).
- 2. Was exempted from flammability test in accordance with 16 CFR1610.1(d)(2)due to it is made entirely from or combinations of acrylic/modacrylic/nylon/olefin/polyester/wool fibres.
- 3.Gloves less than 14 inches, hats that do not provide a covering for the neck, face or shoulders when worn by an individual, footwear that do not attach to other garment were exempted by the regulation.

tweat that do not attach to other garment were c

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 12 of 27

Tested part(s):

Seq. no	Part(s) name	Sample description
1	Red cloth	Red bib
2	Pink fabric	Pink bib
3 HUAK	White cloth	White bib

#### B.3 Section 4.3.5.1 Heavy Metals content in paint and similar surface coating material

#### (1) Total Lead Content

**Test method**: With reference to ASTM F963-23 Section 8.3.1, sample was digested with acid mixture and analyzed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

léa ma	l lmi4	Results		Limit/Each)	
ltem	Unit	MDL	NA NA	<b>O</b> "	Limit(Each)
Lead Content (Pb)	mg/kg	2	NA	ESTING	90
Conclusion	I any	JAK	NA NA	HUAK	ESTING

### (2) Soluble Heavy Metals Content

**Test method**: With reference to ASTM F963-23 Section 8.3.2. The heavy metals content was determined by inductively Coupled plasma atomic emission spectrometer (ICP-OES).

ltem	Unit	MDL	Results	Limit
iteiii	Offic	IVIDE	NA	Lillin
Soluble Lead (Pb)	mg/kg	2	NA	90
Soluble Antimony (Sb)	mg/kg	2	NA HUNK	60
Soluble Arsenic (As)	mg/kg	2	NA	25
Soluble Barium (Ba)	mg/kg	2	NA	1000
Soluble Cadmium (Cd)	mg/kg	2	NA O	75
Soluble Chromium (Cr)	mg/kg	2	NA	60
Soluble Mercury (Hg)	mg/kg	2	NA	60
Soluble Selenium (Se)	mg/kg	2	NA	500
Conclusion	1	<b>O</b> T	NA O	01

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK,

AFICATIO,



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 13 of 27

### **B.4 Section 4.3.5.2 Heavy Metals Content in Toy Substrate Materials**

### (1) Total Lead Content

**Test method**: With reference to ASTM F963-23 Section 8.3.1, sample was digested with acid mixture and

analyzed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

	J. Lana	11:4	MDI	Results	Limit/Fach)
II.	ltem	Unit	MDL	3	Limit(Each)
	Lead Content (Pb)	mg/kg	2	N.D.	100
	Conclusion	1	A Y PAR	Pass	O You

#### (2) Soluble Heavy Metals Content

**Test method**: With reference to ASTM F963-23 Section 8.3.5. The heavy metals content was determined by

inductively Coupled plasma atomic emission spectrometer (ICP-OES).

ltem	Unit	MDI	Results	Limit	
item	Onit	MDL	AKTESTING 3 HUMAN		
Soluble Lead (Pb)	mg/kg	2	N.D.	90	
Soluble Antimony (Sb)	mg/kg	2	N.D. MAK TESTA	60	
Soluble Arsenic (As)	mg/kg	2	N.D.	25	
Soluble Barium (Ba)	mg/kg	2	N.D.	1000	
Soluble Cadmium (Cd)	mg/kg	2	N.D.	75	
Soluble Chromium (Cr)	mg/kg	2	N.D.	60	
Soluble Mercury (Hg)	mg/kg	HU 2	M.D.	60	
Soluble Selenium (Se)	mg/kg	2	N.D.	500	
Conclusion	1	OKTESTING	Pass	16	

#### Remark:

Maximum acceptable element migration from toy materials

T- WAY TESTING		Element (mg/kg)						
Toy material	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Surface Coatings and Substrates Other Than Modeling Clay Included as Part of a Toy	60	25	1000	75	60	90	60	500
Modelling Clays Included as Part of a Toy	60	25	250	50	25	90	25	500

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 14 of 27

#### **B.5** -Section 4.3.8 Phthalates

**Test method**: With reference to CPSC-CH-C1001-09.4, by solvent extraction and analysis was performed

by gas chromatographic-mass spectrometer (GC-MS).

M	11.74		Results	Limit(Each)	
Item	Unit	MDL	1+2+3		
Dibutyl Phthalate (DBP)	mg/kg	30	N.D.	1000	
Benzylbutyl Phthalate (BBP)	mg/kg	30	N.D.	1000	
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	1000	
Diisononyl Phthalate (DINP)	mg/kg	100	N.D.	1000	
Di-isobutyl Phthalate (DIBP)	mg/kg	100	N.D.	1000	
Dicyclohexyl Phthalate (DCHP)	mg/kg	100	N.D.	1000	
Di-n-hexyl Phthalate (DHEXP)	mg/kg	100	N.D.	1000	
Di-n-pentyl Phthalates (DPENP)	mg/kg	100	N.D.	1000	
Conclusion	TEST	1	Pass Marie	I <sub>TIN</sub> G	

### C. USA 16CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead-Containing Paint

Test method: With reference to CPSC-CH-E1003-09.1, sample was digested with acid mixture and

analyzed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

ltom	Unit	MDL Results		Limit/Each)	
Item	Unit	IVIDE	NA	Limit(Each)	
Lead Content (Pb)	mg/kg	5	NA NA	MAKTEST	90
Conclusion	1	) I	NA	0	

# D. USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children's products containing Lead; Lead paint rule

#### (1) Substrate Materials

**Test method:** With reference to CPSC-CH-E1001-08.3; CPSC-CH-E1002-08.3, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES).

Item	Unit	MDL	Results	Limit(Each)	
item	Offic	IVIDE	1+2+3	Liiiii(Eacii)	
Lead Content (Pb)	mg/kg	5 STING	N.D.	100	
Conclusion	1	D HUM	Pass	C. Ville	



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 15 of 27

#### (2) Paint and similar surface coating material

**Test method:** With reference to CPSC-CH-E1003-09.1, sample was digested with acid mixture and

analyzed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

ltem	Unit	MDL	Results	Limit
item	Unit	IVIDE	NA NA	LIIIII
Lead Content (Pb)	mg/kg	,m <sup>G</sup> 5	NA	90
Conclusion	O MAL	1	NA NA	1 mg m

E. USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates

USA 16CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

**Test method**: With reference to CPSC-CH-C1001-09.4, by solvent extraction and analysis was performed by

gas chromatographic-mass spectrometer (GC-MS).

140	11!4	MDI	Results	Limit/Faala)	
Item	Unit MDL		1+2+3	Limit(Each)	
Dibutyl Phthalate (DBP)	mg/kg	30	N.D.	1000	
Benzylbutyl Phthalate (BBP)	mg/kg	30	N.D.	1000	
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	1000	
Diisononyl Phthalate (DINP)	mg/kg	100	N.D.	1000	
Di-isobutyl Phthalate (DIBP)	mg/kg	100	N.D.	1000	
Dicyclohexyl Phthalate (DCHP)	mg/kg	100	TESTING N.D.	1000	
Di-n-hexyl Phthalate (DHEXP)	mg/kg	100	N.D.	1000	
Di-n-pentyl Phthalates (DPENP)	mg/kg	100	N.D.	1000	
Conclusion	TES	1 5	Pass	TING	

#### Note:

- N.D. =Not Detected or less than MDL.
- MDL=Method Detection Limit.
- NA= Not Applicable
- %=Percentage by weight.
- 0.1%=1000mg/kg, mg/kg=ppm.
  - +"=The test result is obtained from composite testing on materials linked with "+" mark, it is
- possible that individual test result can be higher if materials are tested separately. This had been taken in account in the conclusion of this report.



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 16 of 27

### F. CPSA Section 14(a) (5) Tracking Labels for Children's Products (15 USC §2063(a)(5) (CPSA))

Applicable Section	Description	Result
(a)(5) (A)	Effective 1 year after the date of enactment of the Consumer Product Safety Improvement Act of 2008, the manufacturer of a children's product shall place permanent, distinguishing marks on the product and its packaging, to the extent practicable, that will enable—	Pass
HIPM (i)	the manufacturer to ascertain the location and date of production of the product, cohort information (including the batch, run number, or other identifying characteristic), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks; and	Pass
(ii)	the ultimate purchaser to ascertain the manufacturer or private labeler, location and date of production of the product, and cohort information (including the batch, run number, or other identifying characteristic).	Pass
(B)	The Commission may, by regulation, exclude a specific product or class of products from the requirements in subparagraph (A) if the Commission determines that it is not practicable for such product or class of products to bear the marks required by such subparagraph. The Commission may establish alternative requirements for any product or class of products excluded under the preceding sentence consistent with the purposes described in clauses (i) and (ii) of subparagraph (A).	NA
(b)	The Commission may by rule prescribe reasonable testing programs for any product which is subject to a consumer product safety rule under this Act, or a similar rule, regulation, standard, or ban under any other Act enforced by the Commission, and for which a certificate is required under subsection (a). Any test or testing program on the basis of which a certificate is issued under subsection (a) may, at the option of the person required to certify the product, be conducted by an independent third party qualified to perform such tests, unless the Commission, by rule, requires testing by an independent third party for a particular rule, regulation, standard, or ban, or for a particular class of products.	Pass
(c)	The Commission may by rule require the use and prescribe the form and content of labels which contain the following information (or that portion of it specified in the rule) —	Pass
(1)	The date and place of manufacture of any consumer product.	Pass
(2)	The cohort information (including the batch, run number, or other identifying characteristic) of the product.	Pass
(3)	A suitable identification of the manufacturer of the consumer product, unless the product bears a private label in which case it shall identify the private labeler and shall also contain a code mark which will permit the seller of such product to identify the manufacturer thereof to the purchaser upon his request.	Pass
(4)	In the case of a consumer product subject to a consumer product safety rule, a certification that the product meets all applicable consumer product safety standards and a specification of the standards which are applicable. Such labels, where practicable, may be required by the Commission to be permanently marked on or affixed to any such consumer product. The	Pass



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 17 of 27

LI CITI NO I	Date: May 14, 2024	age 17 01 27	
Applicable Section	Description	Result	
Nbr	Commission may, in appropriate cases, permit information required under paragraphs (1) and (2) of this subsection to be coded.	MINNE	
(d)	REQUIREMENT FOR ADVERTISEMENTS.—No advertisement for a consumer product or label or packaging of such product may contain a reference to a consumer product safety rule or a voluntary consumer product safety standard unless such product conforms with the applicable safety requirements of such rule or standard.	Pass	
(e)	WITHDRAWAL OF ACCREDITATION-	Pass	
(f)	DEFINITIONSIn this section	Pass	
(g)	REQUIREMENTS FOR CERTIFICATES (1) IDENTIFICATION OF ISSUER AND CONFORMITY ASSESSMENT BODYEvery certificate required under this section shall identify the manufacturer or private labeler issuing the certificate and any third party conformity assessment body on whose testing the certificate depends. The certificate shall include, at a minimum, the date and place of manufacture, the date and place where the product was tested, each party's name, full mailing address, telephone number, and contact information for the individual responsible for maintaining records of test results.	Pass	
(h)	RULE OF CONSTRUCTION.	Pass	
(i)	ADDITIONAL REGULATIONS FOR THIRD PARTY TESTING	Pass	

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

### \*\* Modified History \*\*

Revision	Description	Issued Data	Remark
Revision 1.0	Initial Test Report Release	2024/05/10	Jason Zhou
Revision 2.0	Added ASTM F963-23 standard	2024/05/14	Jason Zhou
	ESTING	TESTING	AK TESTING

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 18 of 27

### **Photograph of Sample**






The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannon be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 19 of 27







REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 20 of 27







REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 21 of 27







REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 22 of 27







REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 23 of 27







REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 24 of 27







REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 25 of 27







REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 26 of 27







REPORT No.: HK2404306805-1RR-R01 Date: May 14, 2024 Page 27 of 27





HUAK authenticate the photo on original report only

\*\*\* End of Report \*\*\*

Remark: This report is considered invalidated without the Special Seal for Inspection of the HUAK. This report shall not be altered, increased or deleted. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone who uses this report should understand all of the details of the engagement. Without written approval of HUAK, this test report shall not be copied except in full and published as advertisement.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.